

TECHNICAL DATA SHEET
A1 WOOD PELLETS
 OF GREEK ORIGIN



Description

EU quality wood pellets are made from sustainably obtained pine without any additives. Our pellets are considered to be the highest possible grade, with exceptionally high caloric and very low ash content. We package our pellets in our proprietary humidity-resistant bags, allowing the product to reach your destination without the introducing any humidity to our exceptionally dry pellets. Our pellets do not slag or form cakes.

Typical Application

Wood pellets are generally used for residential and commercial heating, heat generation from CHP, and power generation.

Specifications

	MIN		MAX		
Moisture (ar)	8.03	-	8.33	%	ISO 18134-2:2017
Ash (ar)	0.42	-	0.50	%	ISO 18122:2015
Ash (d)	0.46	-	0.55	%	ISO 18122:2015
Volatile matters (ar)	77.25	-	78.46	%	ISO 18123:2015
Voletile matters (d)	83.99	-	85.59	%	ISO 18123:2015
Sulphur (ar)			0.01	%	ISO 16994:2016
Sulphur (d)			0.01	%	ISO 16994:2016
Net CV (ar)	4213	-	4280	kcal/kg	ISO18125:2017
Net CV (d)	4628	-	4719	kcal/kg	ISO18125:2017
Gross CV (ar)	4932	-	5023	kcal/kg	ISO18125:2017
Gross CV (d)	4959	-	5046	kcal/kg	ISO18125:2017
Bulk Density	620	-	630	kg/m ³	ISO 17828:2015

Packaging

1 mt jumbo bags/15 kg sacks

TDS-WP-2-V1: created 25/08/2022

Disclaimer

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for use and processing, and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

